

PTO/SB/08A (08-00)

Approved for use through 10/31/2002. OMB 6651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

In a collection of information unless it displays a valid OMB control number.

Substitute for form 1449A/PTO

Examiner

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)
Sheet 1 of 1

Valu OMB CONSOI NUMBER.
10/662,727
September 15, 2003
Donlon et al.
3738
Not Assigned
HRT-144CON

		U.S. Patent Dod	J.S. Patent Document			7.1	
Examiner Initials	Cite No.1		Number	Kind Code ² (if known)	Name of Patentee or Applicant of Cited Document	Date of Publication of Cited Document mm-dd-yyyy	Pages, Columns, Lines, where relevant passages or relevant figures appear
101		4,529,397		Hennemuth	07-16-1985		
, (3,890,969		Fischel	06-24-1975	:	
		4,972,827		Kishi	11-27-1990	,	
		1,127,325		Vaudain	02-02-1915		
नुम		4,702,250		Ovil	10-27-1987		

63-		Foreign	Patent Document	Name of Patentee or	Date of Publication of Cited Document	Pages, Columns, Lines, where relevant	+6
	Cite Applicant of Cited Document	mm-dd-yyyy	passages or relevant figures appear				
M		wo	92 21293	Origin Medsystems, Inc.	12-10-1992		<u> </u>
		JP	58-146339	Sartorius GMBH .	08-31-1983		
10		JР	50-103199	Baxter Laboratories Inc.	08-14-1975		
OFT		JP	3-198829	Fuji Photo Optical Co. Ltd.	08-30-1991		
,							<u>L</u>
		1					

Signature Considered Considered Considered whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Unique citation designation number. 2 See attached Kinds of U.S. Patent Documents. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U. S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS, SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

PTC/SB/08A (08-00)
Approved for use through 10/31/2002. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE to a collection of information unless it displays a valid OMB control number.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)
Sheet 1 of 2

a conscious de anominación enscas il expense a	TOO ONG CONGE HOMEO.
Application Number	
Filing Date	
First Named Inventor	Donlon
Group Art Unit	3738
Examiner Name	O. Isabella
Attorney Docket Number	HRT-0144CON

		U.S. Patent Document		U.S. PATENT DOCUMENTS		
Examiner initials	Cite No.1	Kin	d Code ² known)	Name of Patentee or Applicant of Cited Document	Date of Publication of Cited Document mm-dd-yyyy	Pages, Columns, Lines, where relevant passages or relevant figures appea
101		RE35,352		Peters	10/98	<u> </u>
		3,409,013		Berry	11/68	<u> </u>
		3,587,115		Shiley	6/71	
		4,056,854		Boretos et al.	11/77	<u> </u>
		4,065,816		Sawyer	1/78	
		4,173,981		Mortensen	11/79	
		4,185,636		Gabbay et al.	1/80	
		4,562,832		Wilder et al.	1/86	
		4,585,453	l	Martin et al.	4/86	1
_	 	4,602,911		Ahmadi et al.	7/86	
	 	4,655,218		Kulik et al.	4/87	
	 	4,679,556		Lubock et al.	7/87	
	 	4,808,163		Laub	2/89	
	 	4,877,016		Kantor et al.	10/89	
	 	5,011,481		Myers et al.	4/91	
	 	5,032,128		Alonso	7/91	
	 	5,041,130	-	Cosgrove et al.	8/91	
	╁	5,104,407		Lam et al.	4/92	
		5,109,859	1	Jenkins	5/92	
	1	5,188,619		Myers	2/93	
	H	5,197,979		Quintero et al.	3/93	
	₩	5,203,778	 	Durfee	4/93	'
		5,209.747	1	Knoepfler	5/93	
	+	5,213,093	 	Swindle	5/93	
	+	5,238,450	†	Scott	8/93	
	+	5,250,038		Meiker et al.	10/93	
	+	5,306,234	1	Johnson	4/26/94	
	1-	5,308,320		Safar et al.	5/94	
	+-	5,332,402	1	Teite/baum	7/94	
	1	5,383,888	†	Zvenyatsky et al.	1/95	
	+	5,391,156	1	Hildwein et al.	2/95	
	1	5,423,887	1	Love et al.	6/95	
	H	5,433,700	+	Peters	7/95	T .

MI	5,443,446	Shturman	8/95	·
	5,452,733	Sterman et al.	9/95	
	5,458,574	Machold et al.	10/95	
	5,478,309	Sweezer et al.	12/95	
	5,536,251	Evard et al.q	7/96	
	5,545,214	Stevens	8/96	
	5,556,412	Hill	9/96	
	5,560,487	Starr	10/98	
	5,578,078	Krueger et al.	11/96	;
	5,613,937	Garrison et al.	3/97	
	5,828,607	Malecki et al.	5/97	
	5,682,906	Sterman et al.	11/97	· · · · · · · · · · · · · · · · · · ·
	5,702,368	Stevens et al.	12/97	

FOREIGN PATENT DOCUMENTS								
Cite	Foreign	Patent Documen	1	Name of Patentee or	Date of Publication of Cited Document	Pages, Columns, Lines, where relevant		
	Office ³	Number ⁴ Kin	dCode ⁵	Applicant of Cited Document	mm-dd-yyyy	passages or relevant figures appear	Τ°	
	EP	0 218 275			4/1987			
	FR	2681775			4/1993			
	wo	87/05489			9/1987			
	wo	93/20742			10/93			
			-7.5]	
		Cite No.¹ Office³ EP FR WO	Cite No.¹ Office³ Number⁴ Kir EP 0 218 275 FR 2681775 WO 87/05489	No.¹ Office³ Number⁴ KindCode⁵ EP 0 218 275	Name of Patentee or Applicant of Cited Document	Name of Patentee or Name of Patentee or Name of Cited Document Name of Patentee or Name of Patentee	Name of Patentee or Applicant of Cited Document mm-dd-yyyy figures appear Cite No.	

ı	Signature	//	/ 10	Considered C14 II	0
	*EYAMINED	Initial if relate	ومرفرة فكرم	reidered, whether or not citation is in conformance with MPEP 609. Draw line through citation is a popular to applicable.	ation if not in conformance
	EXMINING.	itilde il relaje	"" 7 77" Y	The state of the s	

Date

Examiner

11/11

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U. S. Patent and Trademark Office; Washington, DC 20231.

DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

and not considered. Include copy of this form with next communication to applicant.

1 Unique citation designation number. 2 See attached Kinds of U.S. Patent Documents, 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5 Kind of document by the appropriate symbols as Indicated on the document under WIPO Standard ST. 16 if possible, 6 Applicant is to place a check mark here if English language Translation is attached.

PTO/SB/03A (08-00)
Approved for use through 10/31/2002 OMB 0551-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to

Substitute for form 1449A/PTO

シ・

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)
Sheet 1 of 1

a conscion of anomismon diness it disbass	a valu Omb Comb mander.
Application Number	
Filing Date	
First Named Inventor	Donlon
Group Art Unit	3738
Examiner Name	D. Isabella
Attorney Docket Number	HRT-0144CON

		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	
 ,		OTHER PRIOR ART - NON PATENT LITERATURE DUCUMENTS	
}		Include name of the author (in CAPITOL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s),	• T2
Examiner's	Cite	oublisher, city and/or country where published	
Initials*	No.1	Berreklouw et al. "Revival of Right Thoracotomy to Approach to Atrio-ventricular Valves in Reoperations" Thorac Cardiovasc	
(2)		Surgeon (1984)32:331-333	
-W		Duran, C. "Present Status of Reconstructive Surgery for Aartic Valve Disease" J Card Surg (1993) 8:443-452.	
		Hirose et al., "Another Approach for Aortic Valve Replacement Through Left Thoracotomy", Ann Thorac Surg, 1994;58:884-	
1 1		86	
		Meditech, Instructions for Use, Occlusion Balloon Catheters Rev. Mar. 1991, pp. 1-7.	
		Kon et al., "Comparison of Implantation Techniques Using Freestyle Porcine Aortic Valve", Ann Thorac Surg, 59:857-62 (1995)	}
		Cosgrove, D.M. "Management of the Calcified Aorta: An Alternative Method of Occlusion" Ann Thorac Surg. (1983) 38:718-	
- 1		710	L
		J.H. Foster and J.B. Threlkel "Proximal Control of Aorta with a Balloon Catheter Surg. Gynecology & Obstretrics (1971) pp.	l .
}		603.604	
		H. G. Erath, Jr. and William S. Stoney, Jr. *Balloon Catheter Occlusion of the Ascending Aorta: Ann Thorac surg. (1983) 35:560-561	
		Sakaguchi et al. "Aortic Valve Replacement and Coronary Artery Bypass" J. Japaneswe Assoc. for Thoracic Surgery (1993) 41(6): 1063-1068.	
		Coltham William H. et al. "Videothorascopy" Ann Thorac Surg (1992) 53:776-9.	
		Jamieson, W.R. Eric "Modern Cardiac Valve devices-Bioprostheses and Mechanical Prostheses" J. Card surg (1993) 8:89- 98	
		Landreneau et al. "Video assisted Thoracic Surgery" Ann Thorac Surg (1992) 54:800-7.	
		Mack et al. *Present Role of Thoracoscopy in the Diagnosis and Treatment of Diseases of the Chest* Ann Thorac surg	:
		Magovern, George J. "Sutureless Aortic and Mitral Prosthetic Valves" J Thoracic and Cardiovasc Surg. (1964) 48(3): 346-	
		361. Ozuner et al. "Creation of a Pericardial Window using Thoracoscopic Techniques" Sur. Gynecology & Obstretrics (1992)	
		175:69-71. Rao and Kumar, Aortic Valve Replacement through Right Thoracotomy, Texas Heart Institute Journal, 1993;20(4):307-308	
		Wakabayashi, Ako "Expanded Applications of Diagnostic and Therapeutic Thoracoscopy" J Thorac and Cardiovasc Surg	T
1		(4004 402/721-3	
		Cohn et al. "Right TGhroacotomy, Femorafemoral Bypass and Deep Hypothermia for Re-replacement of the Mitral Valve" Ann Thorac Surg (1989) 48:69-71.	
		Fundaro et al. Towards an easier and safer reopreat of the atriventricular valves. The right enterolateral thoracotomy	<u> </u>
		Tribble et al. "Anterolateral Thoracotomy as an Alternative to Repeat Median Sternotomy for Replacement of the Mitral Velve" Ann Thorac Surg (1987) 43:380-382	
		7 7010 7011 11000 000 000 000	
			
			1
			
			+

			0.1
Examiner Signature	10/	Da Co	te nsidered 3300

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Unique citation designation number. 2 Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U. S. Patent and Trademark Office, Washington, DC 20231.

DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.